



















MADE BY PEOPLE FOR PEOPLE

DAB invests and believes in its workforce; in particular the contribution that each single person can give in terms of skills and know-how. Each single employee of DAB is part of the company, each single employee of DAB is the company itself.

RESPONSIBILTY

We believe that the safeguard of the environment is possible not only through eco-friendly products, but most of all thanks to responsible individuals. This is why we try to come up with reduced consumption products, working on projects with a low environmental impact, selecting partners and suppliers consistent with our ethics, and implementing green codes of conduct to increase the awareness in all those working at DAB of the importance in reducing waste and in respecting the environment, starting from the most trivial daily activities, both within and outside the company.





DAB AROUND THE WORLD

6 PRODUCTION PLANTS

HUNGARY:

DAB Nagykanizsa

ITALY: DAB Mestrino DAB Bientina

DAB Castello di Godego CHINA: DAB San Germano dei Berici

DAB Qingdao

12 SALES COMPANIES

DAB UK Bishops Storford DAB GERMANY Tonisvorst DAB NETHERLANDS Drunen DAB BELGIUM Groot Bijgaarden DAB SPAIN Madrid DAB RUSSIA Moscow DAB SOUTH AFRICA Pretoria

DAB POLAND Warsaw DAB USA Ladson DAB MEXICO Mexico City DAB CHINA Qingdao DAB OCEANIA Melbourne, Australia




2 SALES OFFICES

DAB UKRAINE Kiev DAB KENYA Nairobi

For over 40 years, DAB has been a main player in the sector of the technologies for the movement and management of our most precious resource, water.


DAB offers technological solutions capable of ensuring reliability and efficiency, and to optimise energy consumption in domestic and residential, civil, agricultural and irrigation applications.

EJLINE





e.syline, a complete line of electronic booster pump solutions that redefines the rules of residential water pressurisation. With two models, e.syline is a series of fully integrated pump systems and accessories. Designed to create a modular and flexible solution that meets a wide range of applications: from a small residence to a large complex of apartments.





PRESSURISATION

GARDENING AND IRRIGATION

REUSE OF RAINWATER



ONE OF A KIND

A unique appearance to any other booster set, a small package and completely integrated. Once you install and use it, you realise that the real difference is in the easeof-use and performance. e.sybox mini3 uses

the most advanced DAB technologies to create constant pressure

according to the system demands and thus an optimisation of energy consumption.

Suitable for use with potable water, in domestic systems and gardening applications.

The new 3-rotor model ensures further noise reduction and energy consumption.

Managing the water pressure in your home has never been so simple and quiet.









APPLICATIONS

CERTIFICATIONS

SUITABLE FOR PUMPING WATER FROM:







Apartments up to 3 floors, 2 bathrooms and 50m² of garden.



















TO 8M DEEP



TANKS






MAINS WATER


CONSTANT PRESSURE

FOR MAXIMUM COMFORT

Thanks to inverter technology, once you have set the desired pressure, e.sybox mini³ maintains a constant pressure to all the water outlets served.



ULTRA LOW NOISE






The special water cooled motor, the inverter, the sound absorbing hulls, and the anti-vibration legs make the e.sybox mini³ booster set the second quietest booster pump on the market after it's big brother e.sybox.

*sound pressure measured at 1 meter distance in a free field






*compared to a traditional booster set in terms of medium usage conditions.

MINIMUM FUSS

MAX COMPACTNESS

The new component architecture and ergonomic design make e.sybox mini³ so compact that it can be installed in any environment, even under the kitchen sink.








INTERGRATED

ALL IN 1

Once the suction and delivery pipes are connected, e.sybox mini3 doesn't require any additional components for it's installation and operation.



DISPLAY

EASY ADJUSTMENT

LCD 70x40 mm high-resolution screen, adjustable to adapt the readability at various installations. The intuitive interface gives access to all the system information and the main settings depending on the specific application.






WIRELESS

ON BOARD


Thanks to the integrated wireless capability, e.sybox mini3 can be connected to the Internet.





MAXIMUM VERSATILITY

3 INSTALLATION POSITIONS


Horizontal. vertical or wall mounted, e.sybox mini³ can be installed virtually anywhere inside or outside the home.








with e.sywall



OUTSIDE with e.sycover

DIMENSIONS ARE IMPORTANT



FEATURES





INVERTER

Thanks to the inverter technology, e.sybox mini³ absorbs only the necessary energy required, increasing the economic savings.

MOTOR

Special water cooled motor design eliminates noise generated by traditional fan cooling.





NON RETURN VALVE ON DELIVERY

Easy to remove for routine maintenance operations.



CONNECTIONS -FLEXIBILITY OF INSTALLATION

Allows you to choose which system inlets and outlets to use depending on your installation needs.



TECHNICAL COMPARTMENT

Easy access to the expansion tank air valve adjustment and the non return valve for quick cleaning or maintenance.



1 LITRE EXPANSION TANK

Guaranteed for 5 years without any maintenance requirements. Certified for drinking water.



FLOW AND PRESSURE SENSORS

Electronic pressure transducer and integrated flow sensor.



ANTI-VIBRATION FEET

Guarantees effective absorption of vibrations helping e.sybox mini³ to further reduce the operation noise.














THE FIRST OF ITS KIND

We didn't just limit ourselves on improving what was already there!
Instead we were the first to achieve a revolutionary innovation in water pressure boosting.
We have developed a patented booster set with high performance and increased efficiency. Compact design that is simple to install, maintain and operate.

Maximum satisfaction for the installer and end user.

E.sybox has changed the way in which people use our most important resource, water.

E.sybox is also smart and versatile. You can create multi pump systems by grouping two or up to four pumps together. This has never been so easy, thanks to the fast connection station e.sytwin and the integrated wireless connection.









APPLICATIONS

CERTIFICATIONS

SE CONFORM

SUITABLE FOR PUMPING WATER FROM:



























RAINWATER

COLLECTION TANKS

e.sybox

Houses and small apartment complexes up to 6 floors and a maximum of 9 apartments.

e.sytwin


Small and large apartment complexes up to 9 floors and a maximum of 17 apartments.

CONSTANT PRESSURE

FOR MAXIMUM COMFORT




Thanks to inverter technology, once you have set the desired pressure, e.sybox maintains a constant pressure to all the water outlets served.



EVEN QUIETER

YOU ONLY HEAR THE FLOWING OF WATER





Thanks to the experience gained over the years, we have further optimised e.sybox making it even quieter and more comfortable.

*sound pressure measured at 1 meter distance in a free field




ENERGY SAVINGS

OLYMPIC MEDAL LINE

Guarantees the comforts and savings of constant pressure (Set Point adjustable from 1 to 5.5 bar) in the system and up to 275 dollars a year* savings on energy bills and with e.sytwin up to 1,100 dollars a year*, thanks to the inverter technology.








*compared to a traditional booster set in terms of medium usage conditions.

MINIMUM FUSS

MAX COMPACTNESS

The new component architecture and the ergonomic design make e.sybox so compact, it can be installed in nearly any environment. It guarantees a dimension reduction of at least 30% compared to any other traditional pump system.



INTEGRATED

ALL IN 1

Once the suction and delivery pipes are connected, e.sybox doesn't require any additional components for it's installation and operation.

DISPLAY

COMMUNICATE WITH E.SYBOX


LCD 70x40 mm high-resolution screen, adjustable to adapt the readability at various installations. The intuitive interface gives access to all the system information and the main settings depending on the specific application.





WIRELESS

ON BOARD





Thanks to the equipped wireless connection it is possible to create groups of two to four pumps that can also be connected to the intertet.

MAXIMUM VERSATILITY


3 INSTALLATION POSITIONS

Horizontal. vertical or wall mounted. e.sybox can be installed virtually anywhere inside or outside the home.





with e.sywall



with e.sycover

EFFICIENT HIGH PERFORMANCE



FEATURES





INVERTER

Thanks to the inverter technology, e.sybox absorbs only the necessary energy required, increasing the sensitive economic savings.

MOTOR

Special water cooled motor design noise generated eliminates traditional fan cooling.



NON RETURN VALVE ON DELIVERY

Easy to remove for routine maintenance operations.



CONNECTIONS -FLEXIBILITY OF INSTALLATION

Allows you to choose which system inlets and outlets to use depending on your installation needs.



TECHNICAL COMPARTMENT

Easy access to the expansion tank air valve adjustment and the non return valve for quick cleaning or maintenance.



2 LITRE EXPANSION TANK

Guaranteed for 5 years without any maintenance requirements. Certified for drinking water.



FLOW AND PRESSURE SENSORS

Electronic pressure transducer and integrated flow sensor.



ANTI VIBRATION FEET

Guarantees effective absorption of vibrations helping e.sybox to further reduce the operation noise.











ACCESSORIES

MODULARITY IN FIRST PLACE

The innovative range of e.syline accessories, which further increases the possibilities of installing an e.sybox booster set, is now the most versatile and innovative on the market. A suite of integrated solutions that cover all of your needs in terms of performance and conditions of use.



Complete docking station for e.sybox with all the necessary interfaces for connection to the system including anti-vibration feet.

Thanks to 4 possible hydraulic configurations, installation becomes even more rapid and flexible. In case of maintenance, e.sydock allows the quick disconnection of e.sybox helping to reduce maintenance down time of the system.

Quick connect station for groups with two e.sybox units







E.sytwin offers outstanding performance with the ability to combine operations, with reduced dimensions of 50% compared to any other equivalent traditional system. E.sytwin allows you to fully exploit the potential of e.sybox in the creation of sets with two pumps.









Wall installation

EJUMALL

Complete wall mounting kit with brackets, screws, dowels, and two spacers for shock absorption.

Suitable for both e.sybox and e.sybox mini³.



Insect grills



Water storage tank ready for use

EJUTANK

480 litre tank provided with e.sydock for quick installation. It is suitable for potable water and is equipped with a filling valve from the water supply (complies with UNI EN 1717), with AG type overflow system, suction hose with bottom valve and discharge hose.

The tank is suitable for installation above ground and the four slots on the base facilitate fixing to the ground. It is equipped with direct discharge from the tank.

The system is modular with the ability to install additional tanks on three sides (laterally and to the rear).







vertical or horizontal installation. Included as standard for both e.sybox and e.sybox mini³.

Suitable for

Outside installation

EJUCOVE

Suitable for both e.sybox and e.sybox mini³.









SELECTION TABLE

	WATER PRESSURE				IRRIGATION	
	MAXIMUM NUMBER OF FLOORS	SMALL SIZE APARTMENT with 1 bathroom (6*)	MEDIUM SIZE APARTMENT with 2 bathrooms	LARGE SIZE APARTMENT with 2 bath. plus a garden (15*)	STATIC SPRINKLERS RANGE 4M Capacity: 6 Vmin Working pressure: 2.4 bar	DYNAMIC SPRINKLER RADIUS 14M Capacity: 20 Vmin Working pressure: 3.4 bar
		MAXIMUM NUMBER OF APARTMENTS			MAXIMUM NUMBER OF SPRINKLERS	
E'L'ÀPOX WILLI	1	2	2	1	8	-
	2	2	2	1		
	3	2	1	1		
e.rybox	1	9	5	4	16	4
	2	8	5	4		
	3	7	5	4		
	UP TO 6	6	3	-		
	1	16	10	6	-	
	UP TO 3	16	10	6		7
	4	15	9	5		
	5	14	8	5		
	6	12	7	5		
E.TÅ⊥MIJ	UP TO 8	11	6	-		

^{*}The table is indicative and it is based on average values. Thoroughly analyse the specific plant for optimal sizing.

TECHNICAL DATA


ھ∴دل	DOX	חורוו_
------	-----	--------


E. L. POX


OPERATING RANGE:	flow rate up to 80 l/min; head up to 55m	flow up to 120 l/min; head up to 65m		
PUMPED LIQUID:	clean, free from solids or abrasive substances, non viscous, non aggressive, non crystallised and not chemically neutral			
LIQUID TEMPERATURE RANGE:	from 0°C to $+$ 35°C for domestic use and from 0°C $+$ 40°C for other uses			
MAXIMUM SUCTION DEPTH:	8 metres			
MAXIMUM AMBIENT TEMPERATURE:	+50°C			
MAXIMUM WORKING PRESSURE:	7.5 bar (750 kPa)	8 bar (800 kPa)		
MOTOR PROTECTION:	IPX4 (without e.sycover fitted)			
INSULATION CLASS:	F			



PERFORMANCE DATA











ALWAYS BY YOUR SIDE



WITH D.CONNECT YOU CAN:

- MONITOR YOUR INSTALLATIONS
- RECEIVE REAL TIME ALERTS
- ACT PROMPTLY FROM A REMOTE LOCATION
- MANAGE EMERGENCIES QUICKLY
- SCHEDULE MAINTENANCE





DAB PUMPS LTD.

Unit 4 and 5, Stortford Hall Industrial Park, Dunmow Road, Bishops Stortford. Herts CM23 5GZ - UK salesuk@dwtgroup.com Tel. +44 1279 652 776 Fax +44 1279 657 727



DAB PUMPS B.V.

Brusselstraat 150 B-1702 Groot-Bijgaarden - Belgium info.belgium@dwtgroup.com Tel. +32 2 4668353 Fax +32 2 4669218



DAB PUMPS B.V.

Albert Einsteinweg, 4 5151 DL Drunen - Nederland info.netherlands@dwtgroup.com Tel. +31 416 387280 Fax +31 416 387299



DAB PUMPEN DEUTSCHLAND GmbH

Tackweg 11 D - 47918 Tönisvorst - Germany info.germany@dwtgroup.com Tel. +49 2151 82136-0 Fax +49 2151 82136-36



DAB PUMPS IBERICA S.L.

Calle Verano 18-20-22 28850 Torrejón de Ardoz - Madrid Snain info.spain@dwtgroup.com Tel. +34 91 6569545 Fax: +34 91 6569676



DAB PUMPS HUNGARY KFT.

Nagykanizsa, Buda Ernő u.5 Hungary Tel. +36 93501700



DAB PUMPS POLAND Sp. z o.o.

Mokotów Marynarska ul. Postępu 15C 02-676 Warszawa - Poland polska@dabpumps.com.pl Tel. +48 223 816 085



DAB UKRAINE Representative Office

Regus Horizon Park 4 M. Hrinchenka St, suit 147 03680 Kiev - Ukraine Tel. +38 044 391 59 43



000 DAB PUMPS

Novgorodskaya str. 1, block G office 308, 127247, Moscow - Russia info.russia@dwtgroup.com Tel. +7 495 122 0035 Fax +7 495 122 0036



DAB PUMPS INC.

3226 Benchmark Drive Ladson, SC 29456 - USA info.usa@dwtgroup.com Tel. 1-843-797-5002 Toll Free 1-866-896-4DAB (4322) Fax 1-843-797-3366



DWT SOUTH AFRICA

Podium at Menlyn, 3rd Floor, Unit 3001b, 43 Ingersol Road, C/O Lois and Atterbury street, Menlyn, Pretoria, 0181 - South-Africa info.sa@dwtgroup.com Tel. +27 12 361 3997 Fax +27 12 361 3137



DAB PUMPS CHINA

No.40 Kaituo Road, Qingdao Economic & Technological Development Zone Qingdao City, Shandong Province - China PC: 266500 sales.cn@dwtgroup.com

Tel. +86 400 186 8280 Fax +86 53286812210



DAB PUMPS DE MÉXICO, S.A. DE C.V.

Av Gral Álvaro Obregón 270, oficina 355 Hipódromo, Cuauhtémoc 06100 México, D.F. Tel. +52 55 6719 0493



DAB PUMPS OCEANIA PTY LTD

426 South Gippsland Hwy, Dandenong South VIC 3175 – Australia info.oceania@dwtgroup.com Tel. +61 1300 373 677

